

1.

2.

3.

| | | Qnet. ar | (Vdaf) | St. d | Mt | Na ₂ O+K ₂ O | DT |
|------|--|-------------|--------|-------|----|------------------------------------|------|
| 50mm | | 4800kcal kg | 18% | 3.0% | 8% | 2.5% | 1350 |
| | | 4600kcal kg | 18% | 4.5% | — | 2.5% | — |

1.

5

1000

2

2024 1 12 10

< 1

10

1

2

15

8

3000

2

15

8

5000

20 /

8000

0.02 / .

3.

13%

4.

10

5.

3

6.

10

7.

10

8.

90% 110%

90%

110%

0.002 / .

0.002 / .

9.

0.02 / .

10.

2024 1

Qnet. ar <4800 Kcal /
 Qnet. ar 100
 4800 0.005 / .
 St. d 2.5% 100
 :
 Vdaf 18% Vdaf >18%
 Vdaf 1
 0.005 / .
 Na₂O+k₂O
 3.0%
 0. xxx / 8000 < 12000
 8000
 0.02 / .
 >12000
 12000
 0.03 / .
 Qnet. ar 4600Kcal /
 St. d 4.5 %
 Vdaf 18 %

1. 3.0%<St. d 3.5%St. d 0.1
2. 3.5%<St. d 4.0% St. d 0.1
3. St. d>, 4.0% St. d 0.1

Na₂O+K₂O

1. 2.5%<Na₂O+k₂O 3.5% 0.1
2. 3.5%<Na₂O+k₂O 4.5% 0.1
3. Na₂O+k₂O>4.5% 0.1

<4600

- | | | | | | | | | | |
|--|---|-----|--|----|-----|--|--|--|--|
| | 1 | 0.1 | | 1 | 0.1 | | | | |
| | | | | 3 | | | | | |
| | | | | 5 | | | | | |
| | | | | | | | | | |
| | | | | 5 | | | | | |
| | | | | 10 | | | | | |
| | | | | | | | | | |
| | | | | 20 | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

95-110%
 90% <-95%
 -0.002 / .
 80% <-90%
 -0.004 / .
 70% <-80%
 -0.006 / .
 60% <-70%
 -0.008 / .
 50% <-60%
 -0.010 / .
 40% <-50%
 -0.015 / .
 <40%
 -0.020 / .
 Na₂O+K₂O