

2024 7

1.

2.

3.

		Qnet. ar	(Vdaf)	St. d	M	Na ₂ O+K ₂ O	DT
50mm		5000kcal kg	15%	2.5%	8%	2.5%	1350
		4700kcal kg	15%	4.5%	—	2.5%	—

1.

3

3000

2

2024 7 4 10

< 1

10

1

2

15

8

3000

2

15

8

5000

20 /

8000

0.02 / .

3.

13%

4.

10

2304343109122102320

5.

3

6.

10

7.

10

8.

95% 110%

1000

1000

95%

110%

0.002 / .

0.002 / .

9.

0.02 / .

10.

2024 7

<p>Qnet. ar 5000 St. d 2.5% Vdaf 15% Na₂O+k₂O 2.5% 0. xxx /</p>	<p>5000 Qnet. ar 4700Kcal / 100 0.002 / . 2. Qnet. ar <4700 Kcal / Qnet. ar 100 0.005 /</p>	<p>1. 2.5%-St. d 3.5% St. d 0.1 1 0.1 2. 3.5%-St. d 4.0% St. d 0.1 3 0.1 3. St. d>, 4.0% St. d 0.1 5 0.1 Na₂O+K₂O</p>						<p>95-110% 90% / <95% 80% -0.002 / . 70% -0.004 / <90% 60% -0.006 / <80% 50% -0.008 / <70% 40% -0.010 / <60% -0.015 / <50% -0.020 / <40%</p>
	<p>8000 < 12000 8000 0.02 / >12000 12000 0.03 /</p>	<p>1. 2.5%-Na₂O+k₂O 3.5% 0.1 2 2. 3.5%-Na₂O+k₂O 4.5% 0.1 5 3. Na₂O+k₂O>4.5% 0.1 10</p>						
	<p>Qnet. ar 4700Kcal / St. d 4.5 % Vdaf 15 %</p>	<p><4700 4.5% Vdaf >15% Na₂O+K₂O 2.5%</p>						
			(/ .)	(%)	%		Na ₂ O+K ₂ O	
				15%	, 2.5%	5000	2.5%	

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.

3000 3

Qnet. ar 5000kcal St. d 2.5% Vdaf 15% 2.5%

3 10

cnf.dntbj.cg@163.com

2024 7 4 10 0830-3628072 0830-3628078